

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 2 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

#### **Listing of Claims**

1. (Currently Amended) An integrated laundry center comprising:  
an integrated cabinet assembly comprising a plurality of interconnecting panels  
that defined defining a plurality of discrete spaces including:  
a washer discrete space sized to house ~~for housing at least a portion of a~~  
5 ~~washing machine within the washer discrete space;~~  
a clothes dryer discrete space sized to house ~~for housing at least a portion~~  
~~of a clothes dryer within the dryer discrete space; and~~  
at least one supplemental drying discrete space; and  
~~a plurality of exterior decorative fascia panels carried by the cabinet assembly;~~  
10 ~~and~~  
an air moving device arranged to deliver air to the supplemental drying discrete  
space ~~through an air inlet in communication with the supplemental drying discrete space, the~~  
~~supplemental drying discrete space in further communication with an air outlet for allowing air~~  
~~to circulate air through the drying discrete space.~~
2. (Withdrawn - Currently Amended) The integrated laundry center according to  
claim ~~146~~, wherein the cabinet assembly further comprises:  
a plurality of panels supported by the frame structure to define the plurality of discrete  
spaces, ~~and wherein at least a portion of the~~ interconnecting panels comprise the exterior  
5 decorative fascia panels.
3. (Withdrawn) The integrated laundry center according to claim 1, wherein the  
cabinet assembly is adapted to allow the washing machine to be slidable into and out of the  
washer discrete space.

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 3 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

4. (Withdrawn) The integrated laundry center according to claim 1, wherein the cabinet assembly is adapted to allow the clothes dryer to be slidable into and out of the dryer discrete space.
5. (Withdrawn - Currently Amended) The integrated laundry center according to claim 1, wherein the cabinet assembly is adapted to allow the washing machine to be securely mounted within the washer discrete space for allowing ~~the~~ a wash basket of the washing machine to be accessible from an exterior of the cabinet assembly.
6. (Withdrawn - Currently Amended) The integrated laundry center according to claim 1, wherein the cabinet assembly is adapted to allow the clothes dryer to be securely mounted within the dryer discrete space for allowing ~~the~~ a dryer drum of the dryer to be accessible from the exterior of the cabinet assembly.
7. (Withdrawn - Currently Amended) The integrated laundry center according to claim ~~146~~, wherein the decorative fascia panels are removable from the cabinet assembly and replaceable on the cabinet assembly.
8. (Withdrawn - Currently Amended) The integrated laundry center according to claim ~~146~~, wherein the decorative fascia panels are selectable from a variety of different fascia panels.
9. (Withdrawn) The integrated laundry center according to claim 1, further comprising:  
at least one clothes folding surface formed as a part of the cabinet assembly.
10. (Currently Amended) The integrated laundry center according to claim 1, further comprising:  
a slidable shelf that is slidable into and out of ~~a slidable shelf discrete space within the cabinet assembly.~~

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 4 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

11. (Original) The integrated laundry center according to claim 10, further comprising:

at least two of the slidable shelves, wherein one of the shelves is useable as a clothes folding shelf and another of the shelves is disposed near the washing machine and the clothes dryer and is usable as a retractable support surface.

12. (Previously Amended) The integrated laundry center according to claim 1, wherein the at least one supplemental drying discrete space further comprises:

at least one clothes supporting device therein.

13. (Original) The integrated laundry center according to claim 12, wherein the clothes supporting device is a rod that extends across an upper end of the supplemental drying discrete space and is adapted to support a plurality of wet clothes carried on clothes hangers suspended from the rod, and wherein the supplemental drying discrete space is a hanging clothes discrete space large enough to hold hanging clothes such as shirts and pants.

14. (Currently Amended) The integrated laundry center according to claim 12, further comprising:

an open front side of the supplemental drying discrete space; and  
a cover panel that can be opened for providing access into the supplemental drying discrete space and can be closed to cover the open front side, wherein the cover panel is ~~one of the~~ decorative exterior fascia panels.

15. (Original) The integrated laundry center according to claim 12, wherein the clothes supporting device is a slidable rack that is slidable into and out of the supplemental drying discrete space and is adapted to support a plurality of wet clothes hanging from the rack.

16. (Original) The integrated laundry center according to claim 15, wherein the supplemental drying discrete space is a drying rack discrete space large enough to hold hanging clothes such as socks, underwear and stockings.

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 5 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

17. (Original) The integrated laundry center according to claim 12, wherein the clothes supporting device further comprises:

at least two shoe dryers housed in the supplemental drying discrete space, each shoe dryer adapted for supporting a shoe above a bottom surface of the supplemental drying discrete space.

18. (Currently Amended) The integrated laundry center according to claim 17, wherein each of the shoe dryers further comprises:

a stem supported on the bottom surface of the supplemental drying discrete space; an upper stem end adapted to be received within and to support a shoe; and an air flow outlet terminating near the upper stem end and communicating with an air moving device for delivering air into the shoe supported on the shoe dryer.

19. (Previously Amended) The integrated laundry center according to claim 17 wherein each of the shoe dryers further comprises:

a stem supported on the bottom surface of the supplemental drying discrete space; an upper stem end adapted to be received within and to support a shoe; and an air flow passage extending through the stem and terminating at an air outlet in the upper end, the air flow passage communicating with an air moving device.

20. (Original) The integrated laundry center according to claim 12, wherein the clothes supporting device further comprises:

at least one horizontal surface supported by the cabinet assembly within the supplemental drying discrete space, the horizontal surface having a plurality of perforations permitting air to pass through the horizontal surface.

21. (Original) The integrated laundry center according to claim 20, wherein the supplemental drying discrete space is a horizontal drying discrete space including a plurality of the horizontal surfaces stacked on top of and spaced from one another within the horizontal drying discrete space.

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 6 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

22. (Original) The integrated laundry center according to claim 20, wherein the clothes supporting device is at least one drawer and the at least one horizontal surface is a bottom surface of the drawer.

23. (Currently Amended) The integrated laundry center according to claim ~~21~~22, further comprising:

5 a plurality of the drawers slidable into and out of the supplemental drying discrete space, each drawer having a bottom surface defined by a respective one of the horizontal surfaces, and each drawer communicating with the air moving device for circulating air through each horizontal surface and each drawer.

24. (Currently Amended) The integrated laundry center according to claim 22, wherein the at least one drawer further includes ~~one of the~~ decorative exterior front fascia panels covering a front surface of the drawer.

25. (Withdrawn) The integrated laundry center according to claim 1, further comprising:

a control system having a user interface operable by a user to control operation parameters of the washing machine, the clothes dryer and the air moving device.

26. (Withdrawn) The integrated laundry center according to claim 25, wherein the user interface includes a touch screen electronically coupled to the washing machine and the clothes dryer, and wherein the display screen provides operation parameter information for the washing machine and the clothes dryer that can be accessed and selected by the user.

27. (Withdrawn - Currently Amended) The integrated laundry center according to claim 1, ~~further comprising~~ wherein the plurality of interconnecting panels further define:

5 an ironing discrete space housed within the cabinet assembly for storing sized to store at least one of an ironing board or and an iron within the ironing discrete space, the cabinet assembly being adapted to allow the ironing board to be mounted within the ironing discrete

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 7 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

space for allowing the ironing board to be movable between a storage position within the ironing discrete space and an ironing position at least partly extended from the ironing discrete space.

28. (Withdrawn) The integrated laundry center according to claim 27, wherein the ironing discrete space includes a connection to a source of steam configured to be coupled to the iron.

29. (Withdrawn - Currently Amended) The integrated laundry center according to claim 1, ~~further comprising wherein the plurality of interconnecting panels further define:~~  
a vacuum discrete space ~~housed within the cabinet assembly for allowing sized to~~  
~~store a vacuum cleaner stored within the vacuum discrete space.~~

30. (Withdrawn - Previously Amended) The integrated laundry center according to claim 29, wherein the cabinet assembly further comprises:  
a built in vacuum pump built for allowing an elongate flexible hose to be connected to between the vacuum pump and the vacuum for allowing the vacuum to be extended  
5 from the vacuum discrete space for vacuuming.

31. (Withdrawn - Currently Amended) The integrated laundry center according to claim 1, ~~further comprising wherein the plurality of interconnecting panels further define:~~  
at least one chemical storage discrete space ~~adapted for storing sized to store~~  
chemical products and product containers used for fabric care.

32. (Withdrawn - Currently Amended) The integrated laundry system according to claim 1, wherein the ~~cabinet assembly further comprises~~ plurality of interconnecting panels  
further define:  
a television discrete space ~~adapted to allow~~ sized to carry a television to be carried  
5 ~~by a portion of the cabinet assembly.~~

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 8 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

33. (Withdrawn – Currently Amended) The integrated laundry system according to claim 1, wherein the ~~cabinet assembly further comprises~~ plurality of interconnecting panels further define:

5 ~~an audio system discrete space adapted to allow~~ sized to carry an audio system to  
~~be carried by a portion of the cabinet assembly.~~

34. (Withdrawn) A supplemental clothes drying system comprising:  
a cabinet structure defining at least one discrete space therein;  
at least one drawer slidable into and out of the discrete space, the drawer having a  
perforated bottom surface,

5 an air inlet and air outlet communicating with the discrete space; and  
an air moving device arranged to circulate air through the perforated bottom  
surface and the discrete space via the inlet and the outlet.

35. (Withdrawn) The supplemental clothes drying system according to claim 35,  
further comprising:  
a plurality of drawers arranged vertically relative to one another.

36. (Withdrawn) A method of designing an integrated laundry center, the method  
comprising the steps of:

5 providing a database containing information on at least a plurality of optional  
laundry center functional modules, optional module decorative features, and optional equipment;  
accessing the database;  
displaying the optional functional modules, decorative features, and equipment;  
selecting desired ones of the functional modules, decorative features, and  
equipment; and  
specifying a desired arrangement for the selected modules, decorative features,  
10 and equipment.

Serial No. 10/686,798  
Filed: October 16, 2003  
Page 9 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

37. (Withdrawn) The method according to claim 37, wherein the step of providing further comprises:  
providing an electronic database.

38. (Withdrawn) The method according to claim 37, wherein the step of accessing further comprises:  
connecting to an Internet website of a laundry center provider and accessing the database using a computer.

39. (Withdrawn) The method according to claim 37, wherein the step of displaying further comprises:  
displaying the optional functional modules, decorative features, and equipment on a computer screen.

40. (Withdrawn) The method according to claim 37, wherein the step of selecting further comprises:  
interacting with a computer to select certain optional functional modules, decorative features, and equipment displayed on a computer screen.

41. (Withdrawn) The method according to claim 37, wherein the step of specifying further comprises:  
manipulating images representing the selected functional modules, decorative features, and equipment and displayed on a computer screen to rearrange the images according to  
5 a desired arrangement.

42. (Withdrawn) The method according to claim 37, wherein the step of specifying further comprises:  
entering data into a computer wherein the data represents at least room dimensions for a room into which the designed laundry center is to be installed.

43. (Withdrawn) The method according to claim 37, further comprising:



Serial No. 10/686,798  
Filed: October 16, 2003  
Page 10 of 16

Examiner: Joseph L. Perrin  
Group Art Unit: 1746

submitting a designed laundry center including the selected and arranged functional modules, decorative features, and equipment to a professional laundry center designer by downloading the designed laundry center to an Internet website of the designer.

44. (Withdrawn) The method according to claim 37, further comprising:  
submitting a purchase order for a designed laundry center including the selected and arranged functional modules, decorative features, and equipment to a laundry center provider.

45. (Previously Presented) The integrated laundry center of claim 1, wherein the integrated cabinet assembly further comprises:  
an integrated frame structure having a plurality of interconnected frame elements.

46. (New) The integrated laundry center according to claim 1 and further comprising a plurality of exterior decorative fascia panels carried by the cabinet assembly.

47. (New) The integrated laundry center according to claim 1, wherein the air moving device is arranged to deliver air to the supplemental drying discrete space through an air inlet in communication with the supplemental drying discrete space, the supplemental drying discrete space in further communication with an air outlet for allowing air to circulate air through the  
5 drying discrete space.

48. (New) The integrated laundry center according to claim 1, wherein the washer discrete space and the clothes dryer discrete space join to form a single discrete space to accommodate the washing machine and the clothes washer in one of a stacked or side-by-side configuration.